Shen zhen U-green Biological Technology Co., Ltd. 601,
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao
Community, Yutang Street, Guangming District, Shenzhen
City, Guangdong, China, 518132
+0755-23407889

**S D S** Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2

Puffmi TX600 Pro Watermelon Ice 20 mg/mL

	ION 1 IDENTIFICAT PANY/UNDERTAKIN	TION OF THE SUBSTANCE/I	IXTURE AND OF THE		
1.1.	Product identifier				
	Trade name:	Watermelon Ice 20 mg/mL			
	Chemical name:	No data available			
	Catalogue number:	No data available			
	UFI:	-			
	Form	-			
1.2.	Relevant identifie	ed uses of the substance or m	ture and uses advised against		
	Using	E-liquids for electronic cigare	es.		
	Uses advised against	At this time, we do not have a recommended.	y information about intended uses that an	re not	
	Reason advised against	At this point, we do not have	At this point, we do not have information on reasons / reasons for non-use.		
1.3.	Details of the sup	oplier of the safety data sheet			
	Company name Shen zhen U-green Biological Technol		Co., Ltd.		
	Address	601, Building 2, Hualite Industrial Park, District, Shenzhen City	Tongguan Road, Tianliao Community, Yutang Street, Guangming		
	Telephone number	0755-23407889			
	Fax number	-			
	e-mail of the person in charge	$\bigcirc$ 11			
	National contact No data available				
1.4.	Emergency telep	hone number			
	Department of eme number	ergency situations telephone	112		
	Medical information	n's telephone number	+49 030 192 40		
	Other data		No data available		

SECTIO	SECTION 2 HAZARD IDENTIFICATION				
2.1.	Classification of the substance or mixture				
2.1.1.	Classification according to Regulation (EC	) 1272/2008 [CLP]			
	Hazard class and category code	Hazard statements			
	Acute Tox. 3	H301			
2.1.2.	Additional information's				
	No data available				
**Full text of	**Full text of H i EUH statements is available in section 16.				
2.2.	Classification elements according to Regulation (EC) 1272/2008 [CLP]				
	Product identifier:	Watermelon Ice 20 mg/mL Contains:			
	Identification number:	Nicotine -			

Shen zhen U-green Biological Technology Co., Ltd. 601, Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	SDS Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

	Authorisation number:	-
	Hazard pictograms	
	Signal word	Danger
	Hazard-determining components of labelling	Nicotine
	Hazard statements	H301 Toxic if swallowed.
	Precautionary statements	<ul> <li>P102 Keep out of the reach of children.</li> <li>P264 Wash hands thoroughly after use.</li> <li>P270 Do not eat, drink or smoke during use.</li> <li>P301 + P310 IF SWALLOWED Immediately call a POISON CENTER / doctor if you feel unwell.</li> <li>P330 Rinse mouth.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents / container in accordance with national legislation on sustainable waste management.</li> </ul>
	Additional information's on hazards	No data available
2.3.	Other hazards	
	No data available	

OF ATION & ACARDONITION/ IN	FORMATION ON INODEDIENTO
SECTION 3 COMPOSITION/IN	FORMATION ON INGREDIENTS

3.2 Mixtures				
Name	CAS/ EINECS/ Index No	REACH registration No	Content %	Classification according to Regulation (EC) No 1272/2008
Propylene glycol	57-55-6 200-338-0	/	51.49	-
Glycerol	56-81-5 200-289-5	/	40.00	-
Ethyl 2-methylbutyrat	7452-79-1 231-225-4		2.00	Flam. Liq. 3 H226
WS-23	51115-67-4 256-974-4	1	2.00	Acute Tox. 4 H302
Nicotine	54-11-5 200-193-3 614-001-00-4	1	1.75	Acute Tox. 2 H330 Acute Tox. 2 H310 Acute Tox. 2 H300 Aquatic Chronic 2 H411
Benzoic acid	65-85-0 200-618-2 607-705-00-8	1	1.31	Skin Irrit. 2 H315 Eye Dam. 1 H318
Acetic acid	64-19-7 200-580-7 607-002-00-6	1	0.20	Flam. Liq. 3 H226 Skin Corr. 1A H314
Ethyl acetoacetate	141-97-9 205-516-1	1	0.20	-
6-Methyl-5-hepten-2-one	110-93-0 203-816-7	/	0.20	Flam. Liq. 3 H226 Eye Irrit. 2 H319
Vanillin	121-33-5 204-465-2	/	0.15	Eye Irrit. 2 H319
2-Methylbutyl acetate	624-41-9 210-843-8 607-130-00-2	1	0.15	Flam. Liq. 3 H226
Ethyl Acetate	141-78-6 205-500-4 607-022-00-5	1	0.15	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

Shen zhen U-green Biological Technology Co., Ltd. 601, Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	<b>S D S</b> Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

Ethyl propionate	105-37-3 203-291-4 607-028-00-8		0.15	Flam. Liq. 2 H225
2(3H)-Furanone, 5- hexyldihydro-	706-14-9 211-892-8	1	0.10	-
Benzyl benzoate	120-51-4 204-402-9 607-085-00-9		0.10	Acute Tox. 4 H302 Aquatic Chronic 2 H411
Leaf alcohol	928-96-1 213-192-8	1	0.05	Eye Irrit. 2 H319 Flam. Liq. 3 H226

4.1.	Description of first aid measures			
		Immediately remove any clothing soiled by the product.		
	General information	In case of irregular breathing or respiratory arrest provide artificial respiration		
	Inhalation	Remove the victim (move out / take out) to fresh air; allow her to rest. Seek medical attention if symptoms persist.		
	Skin contact	Remove contaminated clothing. Wash skin thoroughly with water and mild soap, and then rinse with plenty of water for about 15 minutes. In the case of the occurrence and persistence of symptoms of irritation, seek for medical attention. Wash contaminated clothing thoroughly before reuse.		
	Eye contact	Wash hands! In case of contact with eyes, rinse immediately with plenty of water, remove contact lenses (if there are any) and continue to rinse for about 15 minutes. During rinsing keep eyelids widely open and move your eyeball. If symptoms persist, seek help from an ophthalmologist		
	Ingestion	Immediately get medical attention! Rinse mouth with water. Do not give anything to a person in an unconscious state.		
4.2.	Most important symptoms and effects, both acute and delayed			
	After inhalation	Toxic if ingested.		
	After skin contact	The product is not classified, but it contains at least one substance that can cause an allergic reaction on the skin.		
	After eye contact	Since we did not have any additional information on this product while making this MSDS, except for the information's on the substances in the composition (section 3), and since we do not have any other knowledge except we know this product Causes serious eye irritation, we can only state what we are taught by experience in making MSDS's for products with the same H mark; Causes serious eye irritation redness, tearing, pricking may occur when contacting this product		
	After ingestion	Toxic if swallowed.		
4.3.	Immediate medical attention and special treatment needed			
	Show medical staff the material safety data sheet or label/packaging. Treatment should be symptomatic and supportive.			

SECTION 5 FIREFIGHTING MEASURES			
5.1.	Extinguishing media		
	Suitable extinguishing media	Carbon dioxide, dry chemical, heavy air foam (foam based on alcohol).	
	Unsuitable extinguishing media	High water jet.	

Shen zhen U-green Biological Technology Co., Ltd. 601,	<b>S D S</b>
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

5.2.	Special hazards arising from the mixture	
	Hazardous burning product	Burning products are not known.
5.3.	Advice for firefighters	
	gloves (HRN EN 659) and boots skin and eyes. Evacuate and isc temperature should be cooled do from extinguishing to enter drain	pparatus (HRN EN 137), protective clothing against fire (HRN EN 469), (HRN A29 or A30). Wear protective clothing to prevent contact with plate danger area. Closed containers exposed to fire or high own with dispersed streams of water if it is safe to do. Prevent wastes is and water reservoirs by building dikes (for example sand). The er the fire action should be removed in accordance valid regulations.

6.1.	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personal			
	Protective equipment	Wear protective personal clothing (section 8.)		
	Accident preventing procedures	Make sure that everyone are following recommended procedures for save handling, storage and transport (see section 7.) Ensure good ventilation or constant ventilation. Remove ignition sources.		
	Procedures in case of accident	Evacuation of the danger zone.		
6.1.2.	For emergency personnel			
	Wear protective clothing recommended in S	ection 8. Keep unprotected personnel away.		
6.2.	Environmental precautions			
	Avoid release to drains, surfaces and ground water. Observe all national regulations on publis report.			
6.3.	Methods and material for containment and cleaning up			
6.3.1.	For boarding, covering, plugging			
	Prevent spilling in sewage / surface water by ventilation. In case of large spills inform local	/ building send barrages and barriers. Ensure adequate I authority.		
6.3.2.	Methods and materials for containment	and cleaning up		
	Pick up with inert absorbent material (sand, diatomic earth) and move it to disposal, with non-sparking tools, in tightly closed containers. Rinse soil with a large amount of water. In case of larger contamination contact national authority.			
6.3.3.	Other information			
	No data available.			
6.4.	Direction on other sections			
	See Section 8 for information on personal protection equipment. See Section 13 for disposal information.			

SECTI	ON 7 HANDLING AND STORAGE
7.1.	Precautions for safe handling
7.1.1.	Protective measures
	Keep away from heat and direct sunlight.
	Ensure good ventilation/exhaustion at the workplace.
	Prevent formation of aerosols.
	Avoid contact with eyes and skin.

8 8 8 8 9	<b>S D S</b> Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2	
	Watermelon Ice 20 mg/mL	

	For the general occupational hygienic measures refer to Section 8.				
7.1.2.	General advice of hygiene on work place				
	Do not eat, drink or smoke when using this product (on working place). Wash hands thoroug handling and before break. Wear protective personal clothing (section 8.) Remove all contar clothes and footwear.				
7.2.	Conditions for safe storage, including any inco	ompatibilities			
	Technical measures and storage requirements	Store in tightly closed containers in a well- ventilated place.			
	Suitable packaging	Suitably the original manufacturer's container. Inappropriate Any other container			
	Demand for storage area and containers	No data available.			
	Advice how to set out the storage	No data available.			
	Other information's on storage terms	Ensure good ventilation of a working space or often ventilation to avoid creating pairs.			
7.3.	Specific end use(s)				
	Recommendations	No data available.			
	Special solutions for the industrial sector	No data available.			

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Co	ontrol parameters	5				
Substance CAS No.			Occupational exposure limits		Biological	exposure limits
		CAS NO.	ppm	mg/m <sup>3</sup>		
Propylene gl	ycol	57-55-6	150 / -	474 / 10	-	
Glycerin		56-81-5	-	- / 10	-	
DNEL						
Industrial						
Route of exposure	Acute local effect	cts	Acute systematic effects	Chronical local	effects	Chronical systematic effects
Orally	-		-	-		-
Inhalation	-		-	-		-
Dermally	-		-	-		-
Consumer	<u></u>					
Route of exposure	Acute local effects		Acute systematic effects	Chronical local	effects	Chronical systematic effects
Orally	-		-	-		-
Inhalation	-		-	-		-
Dermally	Dermally -		-	-		-
PNEC						
Protected en	vironmental object			PNEC		
Freshwater				-		
Freshwater s	sediments			-		

Shen zhen U-green Biological Technology Co., Ltd. 601,	<b>S D S</b>
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

Seawate	r	-				
Seawate	r sediments	-				
Nutrition	al chain	-				
Sewage	treatment plant	-				
Soil		-				
Air		-				
8.2.	Charge of exposure					
8.2.1.	Appropriate engineering controls					
	Measures to prevent exposure while recommended handling	Avoid contact with eyes and skin. Use personal protective clothes as required.				
	Structure measures to prevent exposure	No data available				
	Organisation measures to prevent exposure	No data available				
	Technical measures to prevent exposure	Ensure enough air exchange / transition				
8.2.2.	Individual protection measures, such as persona	al protective equipment				
8.2.2.1.	Personal protective equipment					
	Respiratory protection Suitable respiratory protective device recommended	Protection of hands Protective gloves				
8.2.2.2.	Protective specifications details					
	Eye/face protection					
	Use protective goggles that adhere well to the face (HRN EN 166).					
	Skin protection					
	Hand protection	By prolonged or repeated contact wear protective gloves (HRN EN 374).				
	Other body parts protection	Wear suitable protective long-sleeved cotton clothing that protects the whole body (HRN EN ISO 13688) and impermeable rubber boots (footwear that covers the whole foot (HRN EN 13832).				
8.2.2.3.	Respiratory protection					
	When overtaking the Threshold Limit Value concentration in the air wear protective mask with filter "A If oxygen concentrations are suspected to be below 17%, use a self-contained breathing apparatus we an open circuit to compressed air.					
8.2.2.4.	Heat hazard					
	For special conditions relating to the personal protect	tive equipment for fire-fighters see section 5.				
8.2.3.	Environment exposure control					
	Measures for prevent exposure to substance/component	Ensure good ventilation or constant ventilation.				
	Structural measures for prevent exposure	No data available				
	Organisational measures for prevent exposure	No data available				
	Technical measures to prevent exposure	No data available				

SECT	SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
9.1.	Information on basic physical and chemical properties			
		Value	Method	
	Physical state	Liquid	No data available	

Shen zhen U-green Biological Technology Co., Ltd. 601, Building 2, Hualite Industrial Park, Tongguan Road, Tianliao Community, Yutang Street, Guangming District, Shenzhen City, Guangdong, China, 518132 +0755-23407889

### SDS

Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2

## Watermelon Ice 20 mg/mL

	Colour	Yellow	No data available
	Odour	No data available	No data available
	Odour threshold	No data available	No data available
	Melting/freezing point	No data available	No data available
	Boiling point or initial boiling point and boiling range	No data available	No data available
	Flammability (solid, gas)	No data available	No data available
	Lower and upper explosion limit	No data available	No data available
	Flash point	No data available	No data available
	Auto-ignition temperature	No data available	No data available
	Decomposition temperature	No data available	No data available
	рН	5.84	1
	Kinematic viscosity	No data available	No data available
	Solubility(ies)	No data available	No data available
	Partition coefficient (n-octanol/water)	No data available	No data available
	Vapour pressure	No data available	No data available
	Relative density	1.1095±0.01 g/cm³	1
	Relative vapour density	No data available	No data available
	Particle characteristics	No data available	No data available
9.2.	Other information		
9.2.1	Information with r	egard to physical hazard c	lasses
	Hazard class		Data
	Explosives		No data available
	Flammable gases		No data available
	Aerosols		No data available
	Oxidising gases		No data available
	Gases under press	ure	No data available
	Flammable liquids		No data available
	Flammable solids		No data available
	Self-reactive substa	ances and mixtures	No data available
	Pyrophoric liquids		No data available
	Self-heating substa	nces and mixtures	No data available
	Oxidising liquids		No data available
	Oxidizing solids		No data available

Shen zhen U-green Biological Technology Co., Ltd. 601,	SDS
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen	
City,Guangdong, China, 518132	Watermelon Ice 20 mg/mL
+0755-23407889	

	Organic peroxides	No data available
	Corrosive to metals	No data available
	Desensitised explosives	No data available
9.2.2	Other safety characteristics	
	Safety characteristics	Results
	Mechanical sensitivity	No data available
	Self-accelerating polymerisation temperature	No data available
	Formation of explosible dust/air mixtures	No data available
	Acid/alkaline reserve	No data available
	Evaporation rate	No data available
	Miscibility	No data available
	Conductivity	No data available
	Corrosiveness	No data available
	Gas group	No data available
	Redox potential	No data available
	Radical formation potential	No data available
	Photocatalytic properties	No data available

SECTI	ECTION 10 STABILITY AND REACTIVITY			
10.1.	Reactivity			
	No decomposition if used according to specifications			
10.2.	Chemical stability			
	Stable under recommended storage conditions			
10.3.	Possibility of hazardous reactions			
	No dangerous reactions known			
10.4.	Conditions to be avoided			
	No further relevant information available			
10.5.	Incompatible materials			
	No further relevant information available			
10.6.	Hazardous decomposition products			
	No dangerous decomposition products known.			

SECTION 11 TOXICOLOGICAL INFORMATION							
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008						
	Acute toxicity						
	54-11-5 Ni	cotine					
Route of exposure		Method	Organism	Dose LD_{50}/LC_{50} or ATE $_{compound}$	Time of exposure	Result	
Oral		-	-	5 mg/kg (ATE) 50 mg/kg (rat)	-	-	
Dermal		-	-	70 mg/kg (ATE)	-	-	
Inhalation		-	-	0.19 mg/l (ATE)	4H	-	

Shen zhen U-green Biological Technology Co., Ltd. 601, Building 2, Hualite Industrial Park, Tongguan Road, Tianliao Community, Yutang Street, Guangming District, Shenzhen	SDS Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

	Skin corrosion/irritation
	Since we did not have any additional information on this production (during making this MSDS), except the information on the ingredients (section 3), we have no other information except that this product does not irritate the skin
	Serious eye damage/ irritation
	Since we did not have any additional information on this production (during making this MSDS), except the information on the ingredients (section 3), we have no other information except that this product causes serious eye irritation
	Respiratory or skin sensitisation
	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity
	Based on available data, the classification criteria are not met.
	Carcinogenicity
	Based on available data, the classification criteria are not met.
	Reproductive toxicity
	Based on available data, the classification criteria are not met.
	STOT-single exposure
	Based on available data, the classification criteria are not met.
	STOT-repeated exposure
	Based on available data, the classification criteria are not met.
	Aspiration hazard
	Based on available data, the classification criteria are not met.
11.2.	Information on other hazards
	Endocrine disrupting properties -
	Other information -

## SECTION 12 ECOLOGICAL INFORMATION

12.1. 1	12.1. Toxicity					
Acute toxicity	Dose	Exposure time	Organis m	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 h	-	-	-	-
Crustacear	n EC <sub>50</sub>	48 h	-	-	-	-
Algae	IC <sub>50</sub>	72 h	-	-	-	-
Other organisms	-	-	-	-	-	-
Chronic toxicity	Dose	Exposure time	Organis m	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 h	-	-	-	-
Crustacear	n EC <sub>50</sub>	48 h	-	-	-	-
Algae	IC <sub>50</sub>	72 h	-	-	-	-
Other organisms	-	-	-	-	-	-
12.2. F	12.2. Persistence and degradability					

Building 2, Hualite Industrial Park, Tongguan Road, Tianliao		SDS Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
	Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

	Biodegradability								
% degrad ation	Time (dates) Method		Εv	Evaluation		Note			
-	-	-			-			-	
-	-	-			-			-	
-	-	-			-			-	
12.3.	Bioaccumulat	ive pote	ential						
	Partition coeffic	cient oct	anol/wate	r logPov	N				
Value	Concentration	pН		°C		Method	Eva	luation	Note
-	-	-		-		-	-		-
-	-	-		-		-	-		-
-	-	-		-		-	-		-
	Bio concentrati	on facto	r (BCF)						
Value	Organism		Method	d Evaluation No		te			
-	-		-	-			-		
-	-		-	-			-		
-	-		-						
12.4.	Mobility in soi	l							
	-								
12.5.	Results of PB	T and v	∕PvB ass	essme	nt				
	-								
12.6.	Endocrine disruption properties								
	-								
12.7.	Other adverse	e effects	S						
	-								

SECTI	SECTION 13. DISPOSAL CONSIDERATIONS		
13.1.	Waste treatment methods		
	Disposal methods for the product		
	Must not be disposed together with household garbage. Do not allow product to reach sewage system.		
	Disposal methods for uncleaned packaging		
	Disposal must be made according to official regulations		

SECTIO	SECTION 14. TRANSPORT DETAILS				
14.1.	UN number or ID number				
IMDG, A	IMDG, ADR, RID, ADN or ICAO TI UN3144				
14.2.	4.2. UN proper shipping name				
IMDG, A	IMDG, ADR, RID, ADN3144 Nicotine COMPOUND, LIQUID, N.O.S. (Nicotine)				
14.3.	14.3. Transport hazard class(es)				

Building 2, Hualite Industrial Park, Tongguan Road, Tianliao		<b>S D S</b> Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
	Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

IMDG, J	ADR, RID, ADN	Class 6.1 Toxic substances. Label 6.1
14.4. Packing group		
ADR, R	RID, ADN	III
14.5.	Environmental hazards	
	Not applicable.	
14.6.	Special precautions for	user
	Use protective measures	according to section 8
14.7.	Maritime transport in bu	Ik according to IMO instruments
	Not applicable.	
	Other information	
· ADR/F	RID/ADN	
Limited	quantities (LQ)	5L
Excepted quantities (EQ)		Code E1 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 1000 ml
Transpo	ort category	2
·IMDG		
Limited	quantities (LQ)	5L
Excepte	ed quantities (EQ)	Code E1 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 1000 ml
UN "Model Regulation"		UN 3144 NicotineCOMPOUND, LIQUID, N.O.S. (Nicotine), 6.1, III

SECTI	ON 15. REGULATORY INFORMATION				
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU directive				
	<b>Regulation (EC) No 1907/2006</b> of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC				
	<b>Regulation (EC) No 1272/2008</b> of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).				
	<b>COMMISSION REGULATION (EU) 2015/830</b> of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)				
	National directive -				
15.2.	Chemical safety assessment				

Shen zhen U-green Biological Technology Co., Ltd. 601,	<b>S D S</b>
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

A Chemical Safety Assessment has not been carried out.
--

-)	Changes	
a)	Changes mention	No data available.
b)	Abbreviation	ADR Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG International Maritime Code for Dangerous Goods IATA International Air Transport Association GHS Globally Harmonised System of Classification and Labelling of Chemicals EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances CAS Chemical Abstracts Service (division of the American Chemical Society) DNEL Derived No-Effect Level (REACH) PNEC Predicted No-Effect Concentration (REACH) LC50 Lethal concentration, 50 percent LD50 Lethal dose, 50 percent PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative Flam. Liq. 2 Flammable liquids – Category 2 Flam. Liq. 3 Flammable liquids – Category 3 Acute Tox. 3 Acute toxicity – Category 4 Acute Tox. 4 Acute toxicity – Category 1 Skin Corr. 1A Skin corrosion/irritation – Category 2 STOT SE 3 Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2 Hazardous to the aquatic environment - long-term aquati hazard – Category 3
c)	Key literature and data's source	IUPAC International Union of Pure and Applied Chemistry ECHA The European Chemicals Agency - European Commission IUCLID International Uniform Chemical Information Database IUPAC, ECHA, IUCLID, MANUFACTURER
d)	Classification and using	classification procedures for compounds according to CLP directive
CLP C	Classification	Classification procedure
Acute	Tox. 3, H301	According to the calculating method.
e)	Adequately Hazard state	ments (number and full text)
	H 225	Highly flammable liquid and vapour.
	H 319	Causes serious eye irritationMay cause .
	H 336	May cause drowsiness or Dizziness.
	H 302	Harmful if swallowed.
	H 226	Flammable liquid and vapour.
	H 314	Causes severe skin burns and eye damage.

Shen zhen U-green Biological Technology Co., Ltd. 601,	<b>S D S</b>
Building 2, Hualite Industrial Park, Tongguan Road, Tianliao	Revised in 04.12.2023. According to Regulation EC / 1907/2006. Edition 2
Community, Yutang Street, Guangming District, Shenzhen City,Guangdong, China, 518132 +0755-23407889	Watermelon Ice 20 mg/mL

	Н	310	Fatal in contact with skin.
	Н	411	Toxic to aquatic life with long lasting effects.
	Н	300	Fatal if swallowed.
	Н	315	Causes skin irritation.
	Н	318	Causes serious eye damage
f)	Advices for practising		-
	Detail notice	None	
			As we know, information's which are contained in that MSDS matches our present cognition about this product. This product cannot be used in other purposes then those mentioned in MSDS sections. In case mixing with different products it is necessary to check are there any additional hazards. In case this product is used against information's that provides manufacturer, manufacturer has no legal responsibility for those allegations. Always read label and information's on product.

# \*\*\*\*\*\*END OF DOCUMENT\*\*\*\*\*\*